



Electric pump type <i>Electropompe type</i> Elettropompa tipo		Motor power <i>Puiss. moteur</i> Potenza motore		Capacity <i>Debit</i> Portata													
				[l/s]	0	1,8	2	2,4	2,8	3,2	3,6	4	5	6			
Single-phase <i>Monophasé</i> Monofase	Three-phase <i>Triphasé</i> Trifase	[kW]	[CV]	[m³/h]	0	6,5	7,2	8,6	10,1	11,5	13	14,4	18	21,5			
				[l/min]	0	108	120	144	168	192	216	240	300	360			
				Total manometric head <i>Hauteur manométrique totale</i> Prevalenza manometrica totale													
				[m]	27,5	26,5	27	27	26,5	26	25,5	25	22	17			
				[m]	42	40	41	40,5	40	39	38,5	37	33,5	26			
				[m]	69	67	68	67	66	65	63	62	55	42,5			
				[m]	97	94	95	94	93	91	89	87	78	61			
				[m]	125	120	122	121	119	117	115	112	102	79			
				[m]	168	161	165	164	162	160	156	153	138	109			
				[m]	195	188	191	189	186	182	178	173	156	120			
				[m]	238	229	234	232	229	226	222	216	197	157			
NPSH				[m]		0,8	0,8	0,7	0,8	0,9	1	1,2	2	3,2			

M.E.I. ≥ 0.40

Overall dimensions and weights
Dimensions d'encadrement et poids
Dimensioni di ingombro e pesi



Type Type Tipo	A	B	C	D	E	F	H	J	K	L	O	P	R	h	q	u	a2	b2	c2	d2	e2	f2	m2	n2	r2	s2	t2	Weight Poids Peso
CVX031/5+E20037T211-V	318	250	210	100	14	180	75	25/32	25	150	25/32	4	25	215	145	114	140	85	58	32	4	14	89	105	4	19	27	18,5
CVX031/7+E20055T211-V	354	250	210	100	14	180	75	25/32	25	150	25/32	4	25	215	145	114	140	85	58	32	4	14	89	105	4	19	27	20
CVX031/10+E30075T212-V	414	250	210	100	14	180	75	25/32	25	150	25/32	4	25	255	157	125	140	85	58	32	4	14	89	105	4	19	27	25,4
CVX031/15+E30110T212-V	504	250	210	100	14	180	75	25/32	25	150	25/32	4	25	255	157	125	140	85	58	32	4	14	89	105	4	19	27	29,1
CVX031/19+E30150T212-V	592	250	210	100	14	180	75	25/32	25	150	25/32	4	25	305	177	138	140	85	58	32	4	14	89	105	4	19	27	36,8
CVX031/23+E30220T212-V	664	250	210	100	14	180	75	25/32	25	150	25/32	4	25	335	177	138	140	85	58	32	4	14	89	105	4	19	27	41,3
CVX031/29+E30220T212-V	772	250	210	100	14	180	75	25/32	25	150	25/32	4	25	335	177	138	140	85	58	32	4	14	89	105	4	19	27	43,6
CVX031/33+E30300T212-V	848	250	210	100	14	180	75	25/32	25	150	25/32	4	25	380	205	150	140	85	58	32	4	14	89	105	4	19	27	52,5
CVX031/36+E30300T212-V	902	250	210	100	14	180	75	25/32	25	150	25/32	4	25	380	205	150	140	85	58	32	4	14	89	105	4	19	27	55,8
CVX031/5+E20037M210-V	318	250	210	100	14	180	75	25/32	25	150	25/32	4	25	213	135	107	140	85	58	32	4	14	89	105	4	19	27	18,3
CVX031/7+E20055M210-V	354	250	210	100	14	180	75	25/32	25	150	25/32	4	25	213	135	107	140	85	58	32	4	14	89	105	4	19	27	20
CVX031/10+E20075M210-V	414	250	210	100	14	180	75	25/32	25	150	25/32	4	25	241	155	141	140	85	58	32	4	14	89	105	4	19	27	25,1
CVX031/15+E20110M210-V	504	250	210	100	14	180	75	25/32	25	150	25/32	4	25	241	155	141	140	85	58	32	4	14	89	105	4	19	27	28,3
CVX031/19+E20150M210-V	592	250	210	100	14	180	75	25/32	25	150	25/32	4	25	261	175	160	140	85	58	32	4	14	89	105	4	19	27	34,8
CVX031/23+E20220M210-V	664	250	210	100	14	180	75	25/32	25	150	25/32	4	25	286	175	160	140	85	58	32	4	14	89	105	4	19	27	38,3
CVX031/29+E20220M210-V	772	250	210	100	14	180	75	25/32	25	150	25/32	4	25	286	175	160	140	85	58	32	4	14	89	105	4	19	27	40,6
CVX051/4+E20055T211-V	336	250	210	100	14	180	75	25/32	25	150	25/32	4	25	215	145	114	140	85	58	32	4	14	89	105	4	19	27	21
CVX051/5+E30075T212-V	369	250	210	100	14	180	75	25/32	25	150	25/32	4	25	255	157	125	140	85	58	32	4	14	89	105	4	19	27	25,8
CVX051/8+E30110T212-V	450	250	210	100	14	180	75	25/32	25	150	25/32	4	25	255	157	125	140	85	58	32	4	14	89	105	4	19	27	29,1
CVX051/10+E30150T212-V	520	250	210	100	14	180	75	25/32	25	150	25/32	4	25	305	177	138	140	85	58	32	4	14	89	105	4	19	27	35,4
CVX051/13+E30220T212-V	601	250	210	100	14	180	75	25/32	25	150	25/32	4	25	335	177	138	140	85	58	32	4	14	89	105	4	19	27	39,8
CVX051/16+E30220T212-V	682	250	210	100	14	180	75	25/32	25	150	25/32	4	25	335	177	138	140	85	58	32	4	14	89	105	4	19	27	41,5
CVX051/20+E30300T212-V	794	250	210	100	14	180	75	25/32	25	150	25/32	4	25	380	205	150	140	85	58	32	4	14	89	105	4	19	27	51,2
CVX051/24+E30400T212-V	902	250	210	100	14	180	75	25/32	25	150	25/32	4	25	345	220	172	140	85	58	32	4	14	89	105	4	19	27	57
CVX051/29+E30400T212-V	1037	250	210	100	14	180	75	25/32	25	150	25/32	4	25	345	220	172	140	85	58	32	4	14	89	105	4	19	27	59,9
CVX051/36+E30550T222-V	1256	250	210	100	14	180	75	25/32	25	150	25/32	4	25	375	256	192	140	85	58	32	4	14	89	105	4	19	27	82,5
CVX051/4+E20055M210-V	336	250	210	100	14	180	75	25/32	25	150	25/32	4	25	213	135	107	140	85	58	32	4	14	89	105	4	19	27	21
CVX051/5+E20075M210-V	369	250	210	100	14	180	75	25/32	25	150	25/32	4	25	241	155	141	140	85	58	32	4	14	89	105	4	19	27	25,5
CVX051/8+E20110M210-V	450	250	210	100	14	180	75	25/32	25	150	25/32	4	25	241	155	141	140	85	58	32	4	14	89	105	4	19	27	28,3
CVX051/10+E20150M210-V	520	250	210	100	14	180	75	25/32	25	150	25/32	4	25	261	175	160	140	85	58	32	4	14	89	105	4	19	27	33,4
CVX051/13+E20220M210-V	601	250	210	100	14	180	75	25/32	25	150	25/32	4	25	286	175	160	140	85	58	32	4	14	89	105	4	19	27	36,8
CVX051/16+E20220M210-V	682	250	210	100	14	180	75	25/32	25	150	25/32	4	25	286	175	160	140	85	58	32	4	14	89	105	4	19	27	38,5
CVX101/3+E30110T212-V	387	280	248	130	14	215	80	40	16-25	200	40	4	16-25	255	157	125	150	-	79	42	-	-	105	115	4	19	24	38,1
CVX101/4+E30150T212-V	433	280	248	130	14	215	80	40	16-25	200	40	4	16-25	305	177	138	150	-	79	42	-	-	105	115	4	19	24	45,1
CVX101/6+E30220T212-V	493	280	248	130	14	215	80	40	16-25	200	40	4	16-25	335	177	138	150	-	79	42	-	-	105	115	4	19	24	47
CVX101/9+E30300T212-V	588	280	248	130	14	215	80	40	16-25	200	40	4	16-25	380	205	150	150	-	79	42	-	-	105	115	4	19	24	60
CVX101/12+E30400T212-V	678	280	248	130	14	215	80	40	16-25	200	40	4	16-25	345	220	172	150	-	79	42	-	-	105	115	4	19	24	66,5
CVX101/16+E30550T222-V	830	280	248	130	14	215	80	40	16-25	200	40	4	16-25	375	256	192	150	-	79	42	-	-	105	115	4	19	24	94
CVX101/22+E30750T222-V	1010	280	248	130	14	215	80	40	16-25	200	40	4	16-25	375	256	192	150	-	79	42	-	-	105	115	4	19	24	105,6
CVX101/3+E20110M210-V	387	280	248	130	14	215	80	40	16-25	200	40	4	16-25	241	155	141	150	-	79	42	-	-	105	115	4	19	24	37,3
CVX101/4+E20150M210-V	433	280	248	130	14	215	80	40	16-25	200	40	4	16-25	261	175	160	150	-	79	42	-	-	105	115	4	19	24	43,1
CVX101/6+E20220M210-V	493	280	248	130	14	215	80	40	16-25	200	40	4	16-25	286	175	160	150	-	79	42	-	-	105	115	4	19	24	47,2
CVX151/2+E30220T212-V	413	300	248	130	14	215	90	50	16-25	200	50	4	16-25	335	177	138	165	-	93	65	-	-	121	127	8	19	22	47,8
CVX151/3+E30300T212-V	463	300	248	130	14	215	90	50	16-25	200	50	4	16-25	380	205	150	165	-	93	65	-	-	121	127	8	19	22	56



Type Type Tipo	A	B	C	D	E	F	H	J	K	L	O	P	R	h	q	u	a2	b2	c2	d2	e2	f2	m2	n2	r2	s2	t2	Weight Poids Peso
CVX151/5+E30400T212-V	553	300	248	130	14	215	90	50	16-25	200	50	4	16-25	345	220	172	165	-	93	65	-	-	121	127	8	19	22	62,3
CVX151/7+E30550T222-V	675	300	248	130	14	215	90	50	16-25	200	50	4	16-25	375	256	192	165	-	93	65	-	-	121	127	8	19	22	88,5
CVX151/9+E30750T222-V	765	300	248	130	14	215	90	50	16-25	200	50	4	16-25	375	256	192	165	-	93	65	-	-	121	127	8	19	22	96,8
CVX151/12+E31100T222-V	977	300	248	130	14	215	90	50	16-25	200	50	4	16-25	517	315	265	165	-	93	65	-	-	121	127	8	19	22	187,8
CVX151/14+E31100T222-V	1067	300	248	130	14	215	90	50	16-25	200	50	4	16-25	517	315	265	165	-	93	65	-	-	121	127	8	19	22	189,5
CVX151/17+E31500T222-V	1202	300	248	130	14	215	90	50	16-25	200	50	4	16-25	517	315	265	165	-	93	65	-	-	121	127	8	19	22	204,7
CVX201/2+E30220T212-V	413	300	248	130	14	215	90	50	16-25	200	50	4	16-25	335	177	138	165	-	93	65	-	-	121	127	8	19	22	47,8
CVX201/3+E30400T212-V	463	300	248	130	14	215	90	50	16-25	200	50	4	16-25	345	220	172	165	-	93	65	-	-	121	127	8	19	22	59,5
CVX201/5+E30550T222-V	585	300	248	130	14	215	90	50	16-25	200	50	4	16-25	375	256	192	165	-	93	65	-	-	121	127	8	19	22	85,7
CVX201/7+E30750T222-V	675	300	248	130	14	215	90	50	16-25	200	50	4	16-25	375	256	192	165	-	93	65	-	-	121	127	8	19	22	94
CVX201/10+E31100T222-V	887	300	248	130	14	215	90	50	16-25	200	50	4	16-25	517	315	265	165	-	93	65	-	-	121	127	8	19	22	183,9
CVX201/14+E31500T222-V	1067	300	248	130	14	215	90	50	16-25	200	50	4	16-25	517	315	265	165	-	93	65	-	-	121	127	8	19	22	200,5
CVX201/17+E31850T222-V	1202	300	248	130	14	215	90	50	16-25	200	50	4	16-25	517	315	265	165	-	93	65	-	-	121	127	8	19	22	216,7
CVX321/2+E30400T212-V	574	320	299	170	14	240	105	65	16-25-40	227	65	4	16-25-40	345	220	172	185	145	107	74	8	18	-	-	-	-	-	77,5
CVX321/3+E30550T222-V	644	320	299	170	14	240	105	65	16-25-40	227	65	4	16-25-40	375	256	192	185	145	107	74	8	18	-	-	-	-	-	94,5
CVX321/4+E30750T222-V	714	320	299	170	14	240	105	65	16-25-40	227	65	4	16-25-40	375	256	192	185	145	107	74	8	18	-	-	-	-	-	103,1
CVX321/6+E31100T222-V	964	320	299	170	14	240	105	65	16-25-40	227	65	4	16-25-40	517	315	265	185	145	107	74	8	18	-	-	-	-	-	198,2
CVX321/8+E31500T222-V	1104	320	299	170	14	240	105	65	16-25-40	227	65	4	16-25-40	517	315	265	185	145	107	74	8	18	-	-	-	-	-	215,4
CVX321/10+E31850T222-V	1244	320	299	170	14	240	105	65	16-25-40	227	65	4	16-25-40	517	315	265	185	145	107	74	8	18	-	-	-	-	-	232,7
CVX321/12+E32200T222-V	1384	320	299	170	14	240	105	65	16-25-40	227	65	4	16-25-40	555	360	280	185	145	107	74	8	18	-	-	-	-	-	278,6
CVX321/14+E33000T222-V	1524	320	299	170	14	240	105	65	16-25-40	227	65	4	16-25-40	628	400	310	185	145	107	74	8	18	-	-	-	-	-	348,1